



Finish : White reflector

1	0833	2	0833	3	0000	4		5		6		7		8	
SUPERSEDES 9245 862 57700 0833/000 p.190-1 Of 23/06/2010		HALOGEN LAMP INFRARED INDUSTRIAL 13568U/98 1600W 144V REFL					9245 862 57700 0833/000			09/12/2010					
REF. : PDM IRK 2010-053		DOCUMENTATION		UNIT mm	PROJ. EUROP 	2 SH	SH 190-1	10	1:1	A4					
NAME : J.P. CHARLIER		VALIDATION : A. PICHARD			DR. FISCHER Europe										
All rights reserved. Reproduction in whole or in part is prohibited without the written consent of the copyright owner.															

**PRODUCT REQUIREMENT SHEET**

See LV 75-032

<b>MEASURING VOLTAGE</b>	144V (stabilisation 3 min.)
<b>MEASURING POSITION</b>	Horizontal
<b>LIFE TEST POSITION</b>	Horizontal
<b>BURNING POSITION</b>	P15
<b>SWITCHING CYCLE</b>	Continuous
<b>AGEING</b>	1h at rated voltage

	VALUE UNIT	TOLERANCE
<b>WATTAGE</b>	1600W	± 6 %
<b>LIFE</b>	5000 h	average
<b>COLOR TEMPERATURE</b> Clear lamp Lamp with reflector	2500 K 2400 K	± 100 K Indicative value
<b>FLUX (HeLeN lamp)</b>	NA	
<b>WEIGHT</b>	35 g	

1	0833	2	0833	3	0000	4		5		6		7		8	
SUPERSEDES :		HALOGEN LAMP						9245 862 57700			09/12/2010				
9245 862 57700		INFRARED INDUSTRIAL						0833/000							
0833/000 p. 190-2		13568U/98 1600W 144V REFL													
Of 12/01/2009		REF. : PDM IRK 2010-053		DOCUMENTATION		UNIT	mm	PROJ EUROP	2	SH	SH	190-2	10	A4	
NOM : J.P. CHARLIER		VALIDATION : A. PICHARD						DR. FISCHER Europe							
All rights reserved. Reproduction in whole or in part is prohibited without the written consent of the copyright owner.															